INDEX TO VOLUME XII OF THE JOURNAL OF THE FISHERIES RESEARCH BOARD OF CANADA

Abundance
1. 85 (related to catch)
1: 147 (smallmouth bass in South Bay, L. Huron)
2: 238 (eels and other fishes, in lakes)
3: 447 (adjustment for Petersen estimates of)
3: 451 (Skeena R. salmon)
4: 499 (freshwater fishes of the Skeena basin)
4: 618 (trout in Copper L., N.S.)
6: 78 (scallops, Bay of Fundy)
Acanthocephala
1:97 (in whales)
Acclimation
3: 387 (of trout to reduced oxygen)
Activity
6: 921 (effect on blood of freshwater fishes)
Adams, James Russell
6: 941
Age (*see also* Growth rate)
1: 35 (albacore)
5: 649 (B.C. herring)
6: 781 (scallops)
Age determination
5: 742 (in Kamloops trout)
Air velocity
1: 70 (effect on drying salted cod)
Akpatok Is., Ungava Bay
5: 781 (food of murres)
Albacore, of eastern Pacific (*Thunnus alalunga*)
1: 35, 61
Albumin protein
5: 646 (fractions in sturgeon muscle)
Amphipoda (*see* Whale-lice)
Analysis
5: 641 (fish and mammalian livers)
5: 646 (sturgeon muscle)
Anatomy, internal
4: 593 (Chaetognatha)
5: 754 (sturgeons)
Andrews, Ethan Allen
1: 143
Area of lakes
4: 543 (in relation to fish crops)
Babine L., B.C.
1: 93 (parasites of sockeye smolts)
Balanus improvisus
3: 359 (transport of larval stages)
Bangham, Ralph Vandervort
6: 941
Barnacles (Cirripedia)
3:359 (Miramichi Estuary, N.B.)
5: 762 (Hudson Strait)
Bass, largemouth (*Micropterus salmoides*)
6: 920 (hemoglobin and lactic acid in blood)
Bass, smallmouth (*Micropterus dolomieui*)
1: 147 (fishery in South Bay, Manitoulin Is., L. Huron)
Beef
5: 641 (liver extracts and hydrolysates)
Birds
2: 210 (in relation to trout in N.B.)
4: 487 (near Ungava Crater)
5: 781 (food of murres, Ungava Bay)
Bishop, Yvonne Millicent Mahala
4: 571
Black, Edgar Clark
6: 917
Blair, Arthur Avery
5: 682
Blood, of fishes
6: 917 (effect of exercise on hemoglobin and lactic acid)
Bluegill (*Lepomis macrochirus*)
3: 447 (population estimate)
Bottom fauna
4: 487 (Ungava Crater and neighbouring lakes)
4: 499 (of lakes of the Skeena drainage)
Bousfield, Edward Lloyd
3: 342; 5: 762
Brett, John Roland
3: 362
British Columbia (*see also* Babine L., Skeena R.)
1: 1 (offshore waters)
1: 35 (albacore)
1: 85 (catches of commercial fishes)
1: 97 (internal parasites of whales)
1: 121 (whale-lice)

1: 143 (folliculinids)
4: 571 (nematodes in herring)
4: 593 (Chaetognatha)
5: 649 (herring)
Burbot (*Lota lota*)
6: 930 (in L. Winnipeg)

Calcium
5: 642 (in fish and mammalian livers)
Calanus finmarchicus
6: 858 (Ungava Bay)
Carbonate content
4: 543 (in relation to fish crops)
Carlander, Kenneth Dixon
4: 543
Carp (*Cyprinus carpio*)
6: 899 (effects of exercise on blood)
Castell, Charles Howell
3: 329
Catfish, black (*Ameiurus melas*)
6: 899 (effects of exercise on blood)
Catches
1: 35 (of Pacific albacore)
1: 85 (as affected by economic factors)
2: 187 (equilibrium yield of St. Mary Bay flounders)
2: 210 (speckled trout in 2 N.B. lakes)
3: 451 (Skeena R. salmon)
5: 649 (B.C. herring)
5: 768 (inconnu in Great Slave L.)
6: 781 (Digby scallops)
6: 930 (L. Winnipeg burbot)
Cestoda (tapeworms)
1: 93 (in sockeye smolts)
1: 97 (in whales)
5: 768 (in inconnu)
Chaetognatha (arrow-worms)
4: 593 (in B.C. waters)
Char, arctic (*Salvelinus alpinus*)
4: 487 (in Ungava Crater)
Char, Dolly Varden (*Salvelinus malma*)
4: 499 (in lakes of the Skeena basin)
Chub, peamouth (*Mylocheilus caurinum*)
4: 499 (in lakes of the Skeena basin)
Ciliata Heterotricha
1: 143 (folliculinids from B.C.)
Coarse fish
4: 453 (in lakes)
Cobalt
5: 642 (in fish and mammalian livers)
Cod, Atlantic (*Gadus callarias*)
1: 68 (drying of salted codfish)
1: 75 (proteins of muscle)
1: 85 (landings related to price and cost of living)
3: 338 (assessment of spoilage)
5: 641 (liver extracts and hydrolysates)
5: 698 (stocks distinguished by vertebral number)
Competition
4: 543 (between fish species)
Copepoda
6: 858 (Ungava Bay)
Copper
5: 642 (in fish and mammalian livers)
Corrections
6: 941
Corrosion
1: 134 (of tagging wire on saltwater fishes)
Current, reactions to
2: 238 (eels)
3: 369 (pink and chum salmon fry)
Currents, ocean (*see also* Oceanography)
1: 20, 26 (northeastern Pacific Ocean)
Currents, tidal
3: 335 (Miramichi Estuary, N.B.)

de sotoi
5: 754 (new subspecies of *Acipenser oxyrhynchus*)
Dickie, Lloyd Merlin
2: 187; 6: 797; 6: 942
Dingle, John Reginald
1: 75; 5: 646
Distribution, fish
2: 210 (in Crecy and Gibson L., N.B.)
2: 238 (in Maritime lakes)
4: 487 (near Ungava Crater)
4: 499 (in the Skeena drainage)
4: 618 (Copper L., N.S.)
5: 781 (Ungava Bay)
6: 941, 942 (B.C. freshwater fishes)
Distribution, invertebrates
4: 593 (B.C. Chaetognatha)
5: 762 (Hudson Strait barnacles)
5: 781 (Ungava Bay crustaceans)
6: 858 (Ungava Bay copepods)
6: 899 (echinoderms of eastern Arctic)
Doe, Lancelot Athelstane Earlston
1: 1
Dombroski, Edward
1: 93
Drying
1: 68 (artificial, of salted codfish)
Dyer, William John
5: 646

Dymond, John Richardson
6: 795

Eagles, Douglas Eaton
1: 75
Echinodermata
6: 899 (in eastern Arctic)
Economic factors
1: 85 (effects on fish landings)
Eel (*Anguilla rostrata*)
2: 210 (Crecy and Gibson L., N.B.)
2: 238 (Maritime Provinces)
Eggs
1: 61 (albacore)
2: 287 (naticid whelks)
6: 781 (scallops)
Electrophoresis
1: 75 (of cod muscle proteins)
5: 647 (of sturgeon flesh protein)
Enzymic hydrolysates
5: 637 (from fish and mammal liver)
Exercise
6: 917 (effect on hemoglobin and lactic acid in fishes)
Exploitation, rate of
2: 187 (winter flounder)
Exploits R., Nfld.
5: 691 (sulphite pulp pollution survey)
Extracts
5: 637 (from fish and mammal livers)

Fatigue
6: 921 (effect on blood of freshwater fishes)
Fertilization
2: 210 (of trout lakes near St. Andrews, N.B.)
Fishing methods
6: 781 (Digby scallop draggers)
6: 930 (L. Winnipeg)
Flora
4: 496 (plants near Ungava Crater)
4: 618 (aquatic plants, Copper L., N.S.)
Flounder, winter (*Pseudopleuronectes americanus*)
2: 187 (yield in St. Mary Bay, N.S.)
Flounders
1: 134 (tag corrosion)
Flow
3: 346 (Miramichi R., N.B.)
Fluorine
5: 642 (in fish and mammalian livers)
Folic acid
5: 643 (in fish and mammalian livers)
Folliculinids (Protozoa)
1: 143 (B.C. species)
Fontaine, Marion (Fox)
6: 858
Food
4: 487 (Ungava fishes)
4: 499 (fishes of Skeena basin)
5: 768 (inconnu in Great Slave L.)
5: 781 (murres in Ungava Bay)
6: 930 (L. Winnipeg burbot)
Forrester, Clifton Roger
1: 134
Fraser, James Millan
1: 147; 6: 942
Freshwater fishes
6: 917 (blood levels of hemoglobin and lactic acid)
Fuller, William Albert
5: 768

Gastropoda
2: 287 (naticid whelks)
Giglioli, Marco Enrico Clifton
2: 287
Godfrey, Harold
4: 499; 6: 942
Gordon, Howard Scott
1: 85
Grainger, Edward Henry
6: 899
Gravel spawning beds
5: 706 (water seepage rate through)
Great Slave L.
5: 768 (inconnu)
Growth rate, age composition
1: 35 (albacore)
1: 93 (of sockeye in relation to parasitization)
1: 147 (smallmouth bass)
2: 187 (winter flounder)
2: 210 (of trout in relation to lake fertilization)
2: 238 (eels)
4: 487 (fishes of Ungava Crater and vicinity)
4: 497 (whitefishes of Skeena basin)
5: 768 (inconnu)
6: 930 (L. Winnipeg burbot)
Gulf of Mexico
5: 754 (new sturgeon)

Guttmann, Abraham
5: 637

Haddock (*Melanogrammus aeglifinus*)
3: 329 (spoilage assessment and quality standards)
5: 641 (liver extracts and hydrolysates)
Halibut, Atlantic and Pacific (*Hippoglossus*)
1: 85 (landings related to price and cost of living)
Halocline (*see also* density, salinity, oceanography)
1: 8 (B.C. offshore waters)
3: 352 (Miramichi Estuary, N.B.)
Hayes, Frederick Ronald
4: 618
Hemoglobin
6: 917 (in fish blood
Herring, Atlantic (*Clupea harengus*)
1: 85 (landings related to price and cost of living)
Herring, Pacific (*Clupea pallasi*)
1: 85 (landings related to price and cost of living)
4: 571 (*Anisakis* infestation)
5: 649 (recruitment and mortality)
Hewson, Leo Clare
6: 930
Histology
1: 61 (albacore gonads)
1: 178 (pineal body of young sockeye)
Hoar, William Stewart
1: 178
Hudson Strait
5: 762 (barnacles)
6: 899 (echinoderms)
Humber Arm, Nfld.
5: 684 (sulphite pulp pollution survey)
Humidity, relative
1: 71 (effect on drying salted cod)
L. Huron
1: 147 (bass fishery, South Bay)
Hydrogen ion concentration (pH)
3: 333 (in quality assessment of haddock)
Hydrography (*see also* Oceanography)
3: 351 (Miramichi Estuary, N.B.)
Hydrology (*see also* Hydrography)
3: 346 (Miramichi R., N.B.)

Inconnu (*Stenodus leucichthys mackenziei*)
5: 768 (in Great Slave L., etc.)
Insects
4: 487 (from Ungava fishes)
Iron
5: 642 (in fish and mammalian livers)
Isentropic analysis
1: 22 (B.C. offshore waters)
Isopleths
1: 187 (of flounder yields, in pounds and in value)
6: 942 (correction)
Isotherm (*see also* limnology, oceanography)
1: 13 (B.C. offshore waters)

Ketchen, Keith Stuart
1: 134

Lactic acid
6: 899 (in blood of fishes after exercise)
Lea, Helen Elizabeth
4: 593
Legendre, Rosaire
1: 68
Length-weight relationships (*see* Morphometry)
Lethal limits
3: 387 (low oxygen, for trout)
6: 917 (temperature, oxygen, for various fishes)
Life history
1: 35 (Pacific albacore)
2: 238 (eels)
2: 287 (naticid whelks)
5: 781 (Brünnich's murre)
6: 797 (Bay of Fundy scallops)
6: 858 (Ungava Bay copepods)
Light, reactions to
1: 178 (effects of pineal injury)
2: 238 (eels in migration)
2: 270 (oyster larvae at spatting)
3: 369 (pink and chum salmon fry)
Limnology, physical
2: 210 (2 trout lakes of N.B.)
2: 238 (lakes containing eels)
4: 487 (Chubb Crater, P.Q.)
4: 499 (lakes of the Skeena basin)
4: 618 (Copper L., N.S.)
Ling (*see* burbot)
Liver
5: 637 (extracts and enzymic hydrolysates)
5: 642 (inorganic constituents)
5: 643 (organic nitrogen and vitamins)

Livingstone, Daniel Archibald
4: 618
Lobster
1: 85 (landings related to price and cost of living)
McCracken, Francis Derwood
2: 187; 6: 942
McKenzie, Russell Alderson
5: 698
MacKinnon, Dixon
3: 362
McLellan, Hugh John
3: 375

Mammals
2: 210 (in relation to trout, in N.B.)
4: 487 (near Ungava Crater)
Management, fishery
2: 187 (winter flounders)
2: 210 (trout lakes)
3: 451 (Skeena R. salmon)
4: 618 (trout in Copper L., N.S.)
Margolis, Leo
1: 97, 121
Maritime Provinces
1: 85 (catches of commercial fishes)
2: 187 (flounder yield in St. Mary Bay, N.S.)
2: 210 (trout angling in southern N.B.)
2: 270 (oyster spatfall in Bras d'Or Lakes, N.S.)
2: 287 (distribution of whelks)
4: 618 (trout management, Copper L., N.S).
5: 698 (cod populations)
5: 754 (sea sturgeon)
6: 797 (giant scallop, Bay of Fundy)
Martin, Nigel Vernon
4: 487
Medcof, John Carl
2: 270
Migration and dispersion
1: 35 (Pacific albacore)
1: 147 (smallmouth bass)
2: 210 (of trout from lakes)
2: 238 (of eels into and out of lakes)
3: 362 (fry of Pacific salmon)
3: 369 (fry of pink and chum salmon)
Milne, Donald Johnston
3: 451
Mineral constituents
5: 642 (fish and mammalian livers)
Miramichi Estuary
3: 342 (hydrographic physical features)
Morphology (*see also* Morphometry, Histology)
1: 97 (whale helminths)
1: 121 (whale-lice)
1: 143 (folliculinid Ciliates)
4: 593 (Chaetognatha)
5: 742 (Kamloops trout)
5: 754 (sturgeons)
6: 858 (plankton copepods)
6: 899 (echinoderms)
Morphometry (*see also* Morphology)
1: 93 (parasitized and unparasitized sockeye smolts)
5: 754 (sturgeons)
5: 768 (inconnu)
5: 781 (Ungava Bay fishes)
6: 930 (burbot)
Murre, Brünnich's
5: 781 (food)
Muscle proteins
1: 75 (of Atlantic cod)
5: 646 (of sturgeon)

Natural mortality
2: 187 (winter flounder)
2: 210 (of trout as affected by predator control)
5: 649 (B.C. herring)
6: 781 (scallop larvae)
Neave, Ferris
3: 369
Neelin, James Michael
1: 75
Nematoda
1: 93 (in sockeye smolts)
1: 97 (in whales)
4: 571 (in B.C. herring)
Newfoundland
5: 682 (sulphite pulp pollution survey)
Niacin
5: 643 (in fish and mammalian liver)
Nitrite
3: 340 (effect on trimethylamine production in haddock)
Nitrogenous constituents
5: 643 (in fish and mammalian livers)
5: 646 (in sturgeon muscle)

Obituary
6: 795 (G. B. Reed)

Oceanography, Atlantic
2: 270 (Gillis Cove, Bras d'Or Lake, N.S.)
3: 342 (Miramichi Estuary, N.B.)
3: 375 (Scotian Shelf)
5: 684 (Humber Arm, Nfld.)
6: 781 (relation to scallop survival)
Oceanography, Pacific
1: 1 (offshore waters)
4: 593 (related to distribution of arrow-worms)
Odour
3: 333 (in quality assessment of haddock)
Offshore waters
1: 1 (B.C. oceanography)
3: 375 (Scotian Shelf bottom temperatures)
Oxygen, dissolved (*see also* Limnology, Oceanography, Pollution)
1: 9 (B.C. offshore waters)
5: 706 (in gravel spawning beds)
Oxygen, reaction to
3: 387 (resistance and tolerance of trout)
4: 618 (speckled trout)
6: 899 (lethal levels after exercise, for various fishes)
6: 942 (correction)
Oysters, Atlantic
2: 270 (spatfall and larval behaviour)

Pantothenic acid
5: 643 (in fish and mammalian liver)
Parasites (*see* Nematoda, Trematoda, Whalelice)
Parker, Richard Alan
3: 447
Partlo, John Middleton
1: 35, 61
Permeability of gravel spawning beds
5: 706 (measurement and theory)
Petersen estimates (*see* Abundance)
pH (*see* Hydrogen ion concentration)
Phosphorus
5: 642 (in fish and mammalian livers)
Phototaxis (*see* Light, reactions to)
Physiology, circulatory
6: 917 (effect of activity on blood of freshwater fishes)
Physiology, digestive
5: 781 (conversion of food by murres)
Pigmentation
1: 178 (effect of pineal injury)
Pike, Gordon Chesley
1: 97
Pineal organ
1: 178 (effects of injury on sockeye smolts)
Plankton
4: 487 (Ungava Crater and neighbouring lakes)
6: 858 (Ungava Bay copepods)
Poisoning
4: 618 (Copper L., N.S.)
Pollard, Robert Anthony
5: 706
Pollution survey
5: 682 (sulphite pulp, Nfld.)
Pork
5: 641 (liver extracts and hydrolysates)
Predators
2: 210 (control on trout lakes)
4: 499 (of Skeena whitefishes)
4: 543 (fish in lakes)
5: 781 (murres, Ungava Bay)
Proteins
1: 75 (of Atlantic cod muscle)
5: 646 (of sturgeon muscle)
Pseudomonas
3: 337 (in spoilage of haddock)
Pseudocalanus minutus
6: 858 (Ungava Bay)
Pulp, sulphite
5: 682 (pollution survey, Nfld.)
Pumpkinseed sunfish (*Lepomis gibbosus*)
3: 447 (population estimate)
Pyramid of numbers
4: 543 (in lakes)

Quality tests
3: 333 (for freshness of haddock)

Raymond, Marcel
4: 496
Recruitment
1: 187 (St. Mary Bay winter flounders)
3: 447 (removal of effects on population estimates)
5: 649 (B.C. herring)
6: 941 (correction for paper)
Reed, Guilford Bevil
6: 795 (obituary)
Reproduction
6: 781 (scallops)
6: 930 (L. Winnipeg burbot)
Riboflavin
5: 643 (in fish and mammalian liver)
Ricker, William Edwin
6: 941

Rousseau, Jacques
4: 496

Salinity (*see also* oceanography)
3: 9 (B.C. offshore waters)
3: 352 (Miramichi Estuary, N.B.)
Salmon, Atlantic (*Salmo salar*)
5: 641 (liver extracts and hydrolysates)
Salmon, chinook or spring (*Oncorhynchus tshawytscha*)
3: 362 (movement of fry)
3: 451 (Skeena R. fishery)
Salmon, chum (*Oncorhynchus keta*)
3: 362 (movement of fry through impoundment)
3: 369 (seaward migration)
3: 451 (Skeena R. fishery)
6: 941 (correction of title)
Salmon, coho (*Oncorhynchus kisutch*)
3: 362 (movement of fry)
3: 451 (Skeena R. fishery)
Salmon, pink (*Oncorhynchus gorbuscha*)
3: 362 (movement of fry through impoundment)
3: 369 (seaward migration)
3: 451 (Skeena R. fishery)
Salmon, sockeye (*Oncorhynchus nerka*)
1: 93 (helminths in smolts)
1: 178 (phototaxis and pigmentation following pineal injury)
3: 362 (movement of fry)
3: 451 (Skeena R. fishery)
Salmon, Pacific (*Oncorhynchus* spp.)
1: 85 (landings related to price and cost of living)
Salmon spawning beds
5: 706 (water seepage rate through)
Salt fish
1: 68 (drying (cod))
Saunders, John Wilfred
2: 238
Scallop, giant
6: 797 (abundance in Bay of Fundy)
Scotian Shelf
3: 375 (bottom temperatures)
Seal, harp (*Phoca groenlandica*)
5: 641 (liver extracts and hydrolysates)
Seepage rate, measuring and theory
5: 706 (through gravel spawning beds)
Shepard, Michael Perry
3: 387; 6: 942
Skeena R.
3: 451 (salmon fishery)
4: 499 (freshwater fishes of the watershed)
Smith, George Francis Maurice
5: 698
Smith, Morden Whitney
2: 210, 238
Smith, Stuart Boland
5: 742
Sole, lemon (*Parophrys vetulus*)
1: 134 (corrosion of tags on)
Spawning beds, salmon
5: 706 (water seepage rate through)
Spermatozoa
1: 61 (albacore)
Spoilage
3: 329 (haddock, assessment of)
Squawfish (*Ptychocheilus oregonense*)
4: 499 (in lakes of the Skeena basin)
6: 899 (effects of exercise on blood)
Squires, Hubert Jacob
5: 781
Standing crop, of fishes
4: 543 (in lakes)
Stocking (of hatchery-reared fish)
2: 210 (trout in N.B. lakes)
Sturgeon (*Acipenser oxyrhynchus*)
5: 646 (albumin protein of flesh)
5: 754 (new subspecies)
Sucker, coarse-scaled (*Catostomus macrocheilus*)
4: 499 (in lakes of the Skeena basin)
Sucker, fine-scaled (*Catostomus catostomus*)
4: 499 (in lakes of the Skeena basin)
6: 899 (effects of exercise on blood)
Sulphite pulp effluent
5: 685 (pollution survey, Nfld.)

Tagging and marking
1: 134 (corrosion of tagging wire)
2: 210 (of stocked fingerling trout)
6: 781 (scallops)
Taxonomy and systematics
1: 97 (whale helminths)
1: 121 (Amphipoda–Cyamidae)
1: 143 (Ciliata–Folliculinidae)
2: 287 (Gastropoda–Naticidae)
4: 593 (Chaetognatha)
5: 754 (Atlantic sturgeons)
5: 768 (inconnu)
5: 781 (fishes, invertebrates, Ungava Bay)
6: 858 (Copepoda–Ungava Bay)

Temperature, reaction to
4: 618 (speckled trout)
6: 781 (relation to scallop abundance)
6: 899 (lethal levels after exercise, various fishes)
Temperature, water (*see also* Limnology, Oceanography, Hydrography)
1: 11 (B.C. offshore waters)
3: 350, 354 (Miramichi R. and Estuary, N.B.)
3: 375 (Scotian Shelf bottom temperatures)
Tester, Albert Lewis
5: 649
Thiamin
5: 643 (in fish and mammalian liver)
Transparency of water
3: 355 (Miramichi Estuary, N.B.)
Trematoda
1: 97 (in whales)
6: 941, 942 (corrections)
Triggs, Rosalie Elizabeth
3: 329
Trimethylamine
3: 333 (in quality assessment of haddock)
Trimethylamine oxide
5: 646 (absence from sturgeon muscle)
Trout, cutthroat (*Salmo clarki*)
4: 499 (in lakes of the Skeena basin)
Trout, Kamloops (*Salmo gairdneri kamloops*)
5: 742 (scale-body relationship)
6: 899 (effects of exercise on blood)
Trout, lake (*Salvelinus namaycush*)
4: 487 (in Ungava)
4: 499 (in lakes of the Skeena basin)
Trout, speckled (*Salvelinus fontinalis*)
2: 210 (in lakes near St. Andrews, N.B.)
3: 387 (resistance and tolerance to reduced oxygen)
4: 618 (management in Copper L., N.S.)
Tuck, Leslie Mills
5: 781

Ungava Bay
5: 762 (barnacles)
6: 858 (copepods)
6: 899 (echinoderms)
Ungava Crater, P.Q.
4: 487
Upwelling
1: 23 (B.C. offshore waters)

Vavasour, Gerald Ralph
5: 682
Velella
1: 13 (off B.C. coast)
Vitamin B-complex and B_{12}
5: 643 (in fish and mammalian liver)
Vladykov, Vadim Dmitrovich
5: 754

Whales
1: 97 (helminth parasites of)
1: 121 (whale-lice)
5: 641 (liver extracts and hydrolysates)
Whale-lice (Amphipoda, Cyamidae)
1: 121 (taxonomy and synonymy)
Whitefish, common (*Coregonus clupeaformis*)
4: 499 (in Skeena drainage)
Whitefish, Rocky Mountain (*Prosopium williamsoni*)
4: 499 (in Skeena drainage)
Wind, effects of
1: 4 (B.C. offshore waters)
3: 351 (Miramichi Estuary, N.B.)
L. Winnipeg
6: 930 (burbot)
Wire
1: 134 (used for tagging)
Wisconsin
3: 447 (estimate of fish population in Flora L.)
Wolfgang, Robert William
6: 942